



## Notes

- FINISH: Finish is low VOC thermo-cure powdercoat paint or clear lacquer. Specify three digit color suffix with "PT" finish options.
- HOUSING: Solid machined aluminum or brass bar details and extruded aluminum corner posts. Thermoformed acrylic half cylinder.
- MOUNTING: Fixture mounts to a standard octagonal junction box.
- ETL listed to UL standards for dry and damp locations
- \*Surge protection recommended for use with D1 (Triac/Leading Edge) dimming systems.

### 1 Fixture Number

- DS-730 7.25"W x 16"H x 4" Ext.
- DS-732 9.25"W x 20"H x 5" Ext.
- DS-734 9.25"W x 28"H x 5" Ext.

### 2 Finish

#### End Caps & Frame

- Brushed Solid Aluminum (BA)
- Polished Brass (PB)
- Standard Painted Finishes (PT)

#### Trim Bars & Leaf

- Brushed Solid Aluminum (BA)
- Polished Brass (PB)
- Standard Painted Finishes (PT)

### 3 Lamping

LED options includes integral 120-277v 1-100% dimming driver compatible with 0-10v, Triac, and ELV controls. Over-current and short-circuit protected. All LEDs are 80+ CRI, 50,000 hr. L70. Wattage listed includes driver efficiency.

#### DS-730

LED Options	Lumens	Wattage
S7	612 (delivered)	7

#### Non-LED Lamps

2NT60: (2) 60 watt T-10 incandescent

#### DS-732

LED Options	Lumens	Wattage
S16	995 (delivered)	16

#### Non-LED Lamps

2N60: (2) 60 watt incandescent

#### DS-734

LED Options	Lumens	Wattage
S16	995 (delivered)	16

#### Non-LED Lamps

3N60: (3) 60 watt incandescent

### 4 LED Color Temp

- 27: 2700K
- 30: 3000K
- 35: 3500K
- 40: 4000K

### 5 LED Dimming

- D0: 0-10v
- D1: Triac (Leading Edge)\*
- D2: ELV (Trailing Edge)

### 6 Voltage Options

- 120: 120 volt
- 277: 277 volt (Not available with incandescent lamp options)

### 7 Diffuser Options

- WH: Opal White Acrylic
- FX: Faux Alabaster Acrylic

### 8 Fixture Options

- BL: Bottom Lens (included with LED options)
- TL: Top Lens (included with LED options)

1

2

2

3

4

5

6

7

8

Fixture #

End Caps & Fra  
(Finish)

Trim Bars & Le  
(Finish)

Lamping

Color Temp

Dimming

Voltage

Diffuser

Fixture Option