



- 1 Fixture Number**
LB-390 8"W x 16"H x 4" Ext.
LB-392 8"W x 24"H x 4" Ext.

- 2 Finish**
- | | |
|--------------------------------|---|
| Primary Finish | Secondary Finish |
| Standard Painted Finishes (PT) | Brushed Solid Aluminum (BA)
Standard Painted Finishes (PT) |

- 3 Lamping**
 LED option includes integral 120-277v 1-100% dimming drivers compatible with 0-10v, Triac, and ELV controls. Over-current and short-circuit protected. All LEDs are 80+ CRI, 50,000 hr. L70. Wattage listed includes driver efficiency.

LB-390

LED Options	Lumens	Wattage
S7	612 (delivered)	7

Non-LED Lamps
 2NT40: (2) 40 watt T-10 incandescent

LB-392

LED Options	Lumens	Wattage
S16	995 (delivered)	16

Non-LED Lamps
 3NT40: (3) 40 watt T-10 incandescent

- | | |
|---|---|
| 4 LED Color Temp
27: 2700K
30: 3000K
35: 3500K
40: 4000K | 5 LED Dimming
D0: 0-10v
D1: Triac (Leading Edge)*
D2: ELV (Trailing Edge) |
|---|---|

- 6 Voltage Options**
 120: 120 volt
 277: 277 volt (Not available with incandescent lamp options)

- 7 Diffuser Options**
 WH: White Acrylic
 CD: Ambia configured diffuser (specify option)

1	2	2	3	4	5	6	7
Fixture #	Primary Finish (Finish)	Secondary Fini (Finish)	Lamping	Color Temp	Dimming	Voltage	Diffuser