



**1 Fixture Number**

- LP-380** 8"W x 22"H x 8"L 48" Oah.
- LP-382** 10"W x 30"H x 10"L 64" Oah.
- LP-384** 12"W x 36"H x 12"L 80" Oah.

**2 Finish**

- |                                |                                |
|--------------------------------|--------------------------------|
| <b>Primary Finish</b>          | <b>Secondary Finish</b>        |
| Brushed Solid Aluminum (BA)    | Brushed Solid Aluminum (BA)    |
| Standard Painted Finishes (PT) | Standard Painted Finishes (PT) |

**3 Lamping**

LED options includes integral 120-277v 1-100% dimming driver compatible with 0-10v, Triac, and ELV controls. Over-current and short-circuit protected. All LEDs are 80+ CRI, 50,000 hr. L70. Wattage listed includes driver efficiency.

**LP-380**

LED Options	Lumens	Wattage
P27 Body only w/bottom lens (27W)	2730 (delivered)	27
P63 Body (27w) + Downlight (36w)	5471 (delivered)	63

**Non-LED Lamps**

1N150: (1) 150 watt incandescent

**LP-382**

LED Options	Lumens	Wattage
P40 Body only w/bottom lens (40w)	3796 (delivered)	40
P88 Body (40w) + Downlight (48w)	8128 (delivered)	88
U18 Optional Uplight (18w)	1613 (delivered)	18

**Non-LED Lamps**

8N60 / 1QP250: (8) 60 watt incandescent & (1) 250 watt PAR38 med. base

**LP-384**

LED Options	Lumens	Wattage
P54 Body only w/bottom lens (54w)	5555 (delivered)	54
P109 Body (54w) + Downlight (55w)	11760 (delivered)	109
P150 Body (54w) + Downlight (96w)	14818 (delivered)	150
U44 Optional Uplight (44w)	4038 (delivered)	44

**Non-LED Lamps**

10N60 / 1QP250: (10) 60 watt incandescent & (1) 250 watt PAR38 med. base

**4 LED Color Temp**

- 27: 2700K
- 30: 3000K
- 35: 3500K
- 40: 4000K

**5 LED Dimming**

- D0: 0-10v
- D1: Triac (Leading Edge)\*
- D2: ELV (Trailing Edge)

**6 Downlight Optics Options**

- B60: 60-deg. beam reflector
- B90: 90-deg. beam reflector
- ECR: Black Egg Crate Louver (approx. 40-deg. beam)

**7 Voltage Options**

- 120: 120 volt
- 277: 277 volt (Not available with incandescent lamp options)

**8 Diffuser Options**

- WH: White Acrylic
- CD: Ambia configured diffuser (specify option)

1

2

2

3

4

5

6

7

8

Fixture #

Primary Finish  
(Finish)

Secondary Fini  
(Finish)

Lamping

Color Temp

Dimming

Downlight Opti

Voltage

Diffuser